



GENERAL GLASS CO.

Insulated Glass Fabrications

TEMPLATE


SHOWER DOOR

Customer: _____

Job Name: _____ Due Date: _____

Glass Type: _____ Thickness: 3/8" / 1/2"

Hardware Type: _____ Hardware Color: _____



Front Mitre 45° indicated by solid line: _____

Back Mitre 45° indicated by dotted line: - - - - -

*Please Note: Hinges are centered 8" from top and bottom unless otherwise noted.



GENERAL GLASS CO.

Insulated Glass Fabrications

TEMPLATE


SHOWER DOOR

Customer: _____

Job Name: _____ Due Date: _____

Glass Type: _____ Thickness: 3/8" / 1/2"

Hardware Type: _____ Hardware Color: _____



Front Mitre 45° indicated by solid line: _____

Back Mitre 45° indicated by dotted line: - - - - -

*Please Note: Hinges are centered 8" from top and bottom unless otherwise noted.



GENERAL GLASS CO.

Insulated Glass Fabrications

TEMPLATE

SHOWER DOOR

Customer: _____

Job Name: _____ Due Date: _____

Glass Type: _____ Thickness: 3/8" / 1/2"

STOCK HARDWARE (Circle)

Hinge / Clamp Style	Hardware Finish	Wall Attachment	Other Hardware
Standard Square	Brushed Nickel	Channel	Pull Handle 6"
Beveled Edge	Chrome	Clamps	Towel Bar 18"

ORDERED OUT HARDWARE

Hinge / Clamp Style	Hardware Finish	Wall Attachment	Other Hardware

ROUGH OPENING

*Please sketch enclosure size specification in the space above.

*Please Note: Hinges are centered 8" from top and bottom unless otherwise noted.